

# Ambassador

## Produktbeskrivelse

---



**ege**

THE URGE TO EXPLORE SPACE

---

<b>Produktbeskrivelse</b>	<b>Metoder</b>	<b>Produktdata</b>
<b>Konstruktion</b>		
Struktur	ISO 2424	Tuftet loop pile
Gauge	ISO 2424	1/2
Luvmateriale	DIR 96/73, 96/74	100% uld
Farvemethode	-	Fiberfarvet
Bagside	eTL	LL - Luxury latex
Dimensioner	ISO 3018	Approx. 400 cm
Totalhøjde	eTL	Ca. 19,0 mm.
Slidlag	eTL	Ca. 8,0 mm.
Noppeantal	ISO 1763	Ca. 15.000 pr.m2
Totalvægt	ISO 8543	Ca. 4.000 g/m2
Luvindsatsvægt	eTL	1.850 g/m2
Luvdensitet	eTL	Ca. 0,160 g/cm3
Biocidal treatment	Biocidal Product Regulation	Contains preservative to control microbio.deterioration
<b>Egnethedsprøvnninger</b>		
Brugsområder	eTL	23 - Bolig - Kraftig brug
Garanti	eTL	Garanti mod gennemslid 5 år
Antistatiske egenskaber	eTL	Permanent antistatisk
Gulvarmeegnet	eTL	Ca. 0,33 m2K/W
<b>Sikkerhed &amp; Miljø</b>		
Brandklassifikation	EN 14041	Efl
CE Mærkning	EN 14041	Certificeret
	Ydeevnedeklaration	DOP E
	Notified body no.	NA
	Ce Year	15
	Content of PCP EN 12673	DL
	Formaldehyde emission	NA
	Skridsikkerhed EN 13893	Class DS
<b>Vejledninger</b>		
Montering, inkl. limguide	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Rengøring, pletfjerning	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
<b>Producent</b>		
Fabrikscertificering	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC

<b>Produktbeskrivelse</b>	<b>Metoder</b>	<b>Produktdata</b>
	EMAS	Audited and verified by BVC
	DS/OHSAS	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

**ege**

THE URGE TO EXPLORE SPACE