

# Cantana Square

Produktbeskrivelse



**ege**

THE URGE TO EXPLORE SPACE

Produktbeskrivelse	Metoder	Produktdata
<b>Konstruktion</b>		
Struktur	ISO 2424	Tuftet loop pile
Gauge	ISO 2424	1/16
Luvmateriale	DIR 96/73, 96/74	100% polypropylene
Farvemetode	-	Forfarvet garn
Bagside	eTL	HL - High foam
Dimensioner	CEN/TS 14159	Approx. 400 cm
Totalhøjde	ISO 1765	Ca. 9,5 mm.
Slidlag	ISO 1766	Ca. 3,5 mm.
Noppeantal	ISO 1763	Ca. 145.000 pr.m2
Totalvægt	ISO 8543.	Ca. 2.700 g/m2
Luvindsatsvægt	eTL	800 g/m2
Luvdensitet	ISO 8543.	Ca. 0,115 g/cm3
Soil protection	eTL	Nej
<b>Egnethedsprøvnninger</b>		
Brugsområder	EN 1307	23 - Bolig - Kraftig brug
Garanti mod pletter og slid	eTL	10 år
Trappeegnet	EN 1963	Ja, kun til bolig
Antistatiske egenskaber	eTL	Permanent antistatisk
Personopladning	EN 1815	Antistatisk
Gulvarmeegnet	eTL	Ca. 0,16 m2K/W
Lysægthed	ISO 105-B02	7
Gnideægthed våd	ISO 105-X12	5
Gnideægthed tør	ISO 105-X12	5
Vandægthed mønstrede/melerede	ISO 105-E01	5
<b>Sikkerhed &amp; Miljø</b>		
Brandklassifikation	EN 14041	Efl
CE Mærkning	EN 14041	Certificeret
	Ydeevnedeklaration	DOP E
	Notified body no.	NA
	Ce Year	07
	Content of PCP EN 12673	DL
	Formaldehyde emission	NA
	Skridsikkerhed EN 13893	Class DS
<b>Vejledninger</b>		
Montering, inkl. limguide	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Specifikt for dette produkt	eTL	Dan/Eng/Deu/Fra
Rengøring, pletfjerning	DK	Dansk
	N	Norsk

<b>Produktbeskrivelse</b>	<b>Metoder</b>	<b>Produktdata</b>
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

**Producent**

Fabrikscertificering	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	EMAS	Audited and verified by BVC
	DS/OHSAS	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

**ege**

THE URGE TO EXPLORE SPACE