

Epoca Structure Home any shape

Produktbeskrivelse



ege

THE URGE TO EXPLORE SPACE

Produktbeskrivelse	Metoder	Produktdata	
Konstruktion			
Struktur	ISO 2424	Vævet loop pile	
Luvmateriale	DIR 96/73, 96/74	100% polyamid	
Farvemethode	-	Continue farvet	
Bagside	eTL	ECC300	
Dimensioner	ISO 3018	Approx. 400 cm	
Totalhøjde	eTL	Ca. 5,9 mm.	
	.	0.23"	
Totalvægt	ISO 8543	Ca. 2.600 g/m2	
	.	76.7 oz./yd2	
Luvindsatsvægt	eTL	700 g/m2	
	.	20.65 oz./yd2	
Egnethedsprøvnninger			
Brugsområder	eTL	33 - Erhverv - Kraftig brug	
Garanti	eTL	Contract certifikat	
Rullehjulsegnet	eTL	Ja, konstant brug	
Trappeegnet	eTL	Ja	
Antistatiske egenskaber	eTL	Permanent antistatisk	
Trinlydsdæmpning	ISO 717-2	20 dB	
Akustisk absorption	ISO 354	0,20 aW	
Gulvarmeegnet	eTL	Ca. 0,10 m2K/W	
Lysrefleksion	eTL	Testrapport	
Sikkerhed & Miljø			
Brandklassifikation	ASTM E-648	Class 1	
	ASTM E662 Smoke Density	<450	
	ASTM D2859 Surface Flamm.	Pass	
	EN 13501-1 Euroclass	Cfl-s1	
	CE Mærkning	EN 14041	Certificeret
		CPR	1021-CPR-009-2/16
		Ydeevnedeklaration	DOP 4C-PA-ECC300
		Notified body no.	1021
		Ce Year	13
		Content of PCP EN 12673	DL
Formaldehyde emission		NA	
Indeklima	Skridsikkerhed EN 13893	Class DS	
	Green Label Plus	Godkendt	
	Emissions dans l'air intérieur	A+/A+	
Indoor Air Comfort Gold		Group 14	
	Indoor Air Comfort Gold	Group 14	
Miljø	LEED	Qualified	
Vejledninger			
Montering, inkl. limguide	DK	Dansk	
	N	Norsk	
	S	Svensk	
	GB	English	

Produktbeskrivelse	Metoder	Produktdata
Rengøring, pletfjerning	D	Deutsch
	F	Francais
	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

Producent

Fabrikscertificering	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	EMAS	Audited and verified by BVC
	DS/OHSAS	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

ege

THE URGE TO EXPLORE SPACE