

Montana

Produktbeskrivelse



ege

THE URGE TO EXPLORE SPACE

Produktbeskrivelse	Metoder	Produktdata
Konstruktion		
Struktur	ISO 2424	Tuftet cut pile
Gauge	ISO 2424	1/8
Luvmateriale	DIR 96/73, 96/74	100% PES
Farvemethode	-	Forfarvet garn
Bagside	eTL	HL - High foam
Dimensioner	ISO 3018	Approx. 400 cm
Totalhøjde	eTL	Ca. 9,5 mm.
Slidlag	eTL	Ca. 7,0 mm.
Totalvægt	ISO 8543	Ca. 2.975 g/m2
Luvindsatsvægt	eTL	1.480 g/m2
Luvdensitet	ISO 8543.	Ca. 0,175 g/cm3
Soil protection	eTL	Nej
Egnethedsprøvnninger		
Brugsområder	EN 1307	22 - Bolig - Moderat brug
Garanti	eTL	Garanti mod gennemslid 5 år
Antistatiske egenskaber	eTL	Permanent antistatisk
Trinlydsdæmpning	eTL	28 dB
Gulvarmeegnet	eTL	Ca. 0,16 m2K/W
Sikkerhed & Miljø		
Brandklassifikation	EN 14041	Ffl
CE Mærkning	EN 14041	Certificeret
	Ydeevnedeklaration	DOP F
	Notified body no.	NA
	Ce Year	18
	Content of PCP EN 12673	DL
	Formaldehyde emission	NA
	Skridsikkerhed EN 13893	Class DS
Vejledninger		
Montering, inkl. limguide	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Rengøring, pletfjerning	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Producent		
Fabriks certificering	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC

Produktbeskrivelse	Metoder	Produktdata
	EMAS	Audited and verified by BVC
	DS/OHSAS	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

ege

THE URGE TO EXPLORE SPACE