

# Natura Tweed

Produktbeskrivelse



**ege**

THE URGE TO EXPLORE SPACE

Produktbeskrivelse	Metoder	Produktdata
<b>Konstruktion</b>		
Struktur	ISO 2424	Tuftet loop pile
Gauge	ISO 2424	5/32
Luvmateriale	DIR 96/73, 96/74	100% uld
Farvemethode	-	Fiberfarvet
Bagside	eTL	HL - High foam
Dimensioner	ISO 3018	Approx. 400/500 cm
Totalhøjde	eTL	Ca. 11,0 mm.
Slidlag	eTL	Ca. 4,0 mm.
Noppeantal	eTL	Ca. 78.125 pr.m2
Totalvægt	eTL	Ca. 3.200 g/m2
Luvindsatsvægt	eTL	1.080 g/m2
Luvdensitet	eTL	Ca. 0,155 g/cm3
Biocidal treatment	Biocidal Product Regulation	Contains preservative to control microbio.deterioration

### Egnethedsprøvnninger

Brugsområder	eTL	23 - Bolig - Kraftig brug
Garanti	eTL	Garanti mod gennemslid 5 år
Trappeegnet	eTL	Ja
Antistatiske egenskaber	eTL	Permanent antistatisk
Personopladning	ISO 6356	Antistatisk
Gulvarmeegnet	eTL	Ca. 0,19 m2K/W
Lysægthed	ISO 105-B02	>4
Gnideægthed våd	ISO 105-X12	>3
Gnideægthed tør	ISO 105-X12	>3-4
Vandægthed ensfarvede	ISO 105-E01	>3-4

### Sikkerhed & Miljø

Brandklassifikation	EN 14041	Efl
CE Mærkning	EN 14041	Certificeret
	Ydeevnedeklaration	DOP E
	Notified body no.	NA
	Ce Year	13
	Content of PCP EN 12673	DL
	Formaldehyde emission	NA
	Skridsikkerhed EN 13893	Class DS

### Vejledninger

Montering, inkl. limguide	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Rengøring, pletfjerning	DK	Dansk
	N	Norsk
	S	Svensk

**ege**

THE URGE TO EXPLORE SPACE

<b>Produktbeskrivelse</b>	<b>Metoder</b>	<b>Produktdata</b>
	GB	English
	D	Deutsch
	F	Francais

**Producent**

Fabrikscertificering	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	EMAS	Audited and verified by BVC
	DS/OHSAS	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

**ege**

THE URGE TO EXPLORE SPACE