

Queen Tweed 123

Produktbeskrivelse



ege

THE URGE TO EXPLORE SPACE

| Produktbeskrivelse | Metoder | Produktdata |
|------------------------------|-----------------------------|---|
| Konstruktion | | |
| Struktur | ISO 2424 | Tuftet loop pile |
| Gauge | ISO 2424 | 5/32 |
| Luvmateriale | DIR 96/73, 96/74 | 100% uld |
| Farvemethode | - | Forfarvet garn |
| Bagside | eTL | DF - Domestic foam |
| Dimensioner | ISO 3018 | Approx. 400/500 cm |
| Totalhøjde | eTL | Ca. 8,0 mm. |
| Slidlag | eTL | Ca. 4,0 mm. |
| Noppeantal | eTL | Ca. 67.500 pr.m2 |
| Totalvægt | ISO 8543 | Ca. 2.600 g/m2 |
| Luvindsatsvægt | eTL | 1.100 g/m2 |
| Biocidal treatment | Biocidal Product Regulation | Contains preservative to control microbio.deterioration |
| Egnethedsprøvnings | | |
| Brugsområder | eTL | 23 - Bolig - Kraftig brug |
| Garanti | eTL | Garanti mod gennemslid 5 år |
| Antistatiske egenskaber | eTL | Permanent antistatisk |
| Sikkerhed & Miljø | | |
| Brandklassifikation | EN 14041 | Efl |
| CE Mærkning | EN 14041 | Certificeret |
| | Ydeevnedeklaration | HT No.E |
| | Notified body no. | NA |
| | Ce Year | 07 |
| | Content of PCP EN 12673 | DL |
| | Formaldehyde emission | NA |
| | Skridsikkerhed EN 13893 | Class DS |
| Vejledninger | | |
| Montering, inkl. limguide | DK | Dansk |
| | N | Norsk |
| | S | Svensk |
| | GB | English |
| | D | Deutsch |
| | F | Francais |
| Rengøring, pletfjerning | DK | Dansk |
| | N | Norsk |
| | S | Svensk |
| | GB | English |
| | D | Deutsch |
| | F | Francais |
| Producent | | |
| Fabrikscertificering | ISO 9001 | Audited and verified by BVC |
| | ISO 14001 | Audited and verified by BVC |
| | EMAS | Audited and verified by BVC |
| | DS/OHSAS | Audited and verified by BVC |

| Produktbeskrivelse | Metoder | Produktdata |
|---------------------------|----------------|-------------------------------|
| | DS 49001 | Audited and verified by BVC |
| | CRuk | Member of Carpet Recycling UK |

ege

THE URGE TO EXPLORE SPACE